

# Cambridge International AS & A Level

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
MATHEMATI	CS		9709/52
Paper 5 Proba	bility & Statistics 1	Oct	tober/November 2022
			1 hour 15 minutes
You must answ	ver on the question paper.		

You will need: List of formulae (MF19)

#### INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

#### INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].

This document has 16 pages. Any blank pages are indicated.

## **BLANK PAGE**

1 On any day, Kino travels to school by bus, by car or on foot with probabilities 0.2, 0.1 and 0.7 respectively. The probability that he is late when he travels by bus is x. The probability that he is late when he travels by car is 2x and the probability that he is late when he travels on foot is 0.25.

The probability that, on a randomly chosen day, Kino is late is 0.235.

(a)	Find the value of <i>x</i> .	[3]
(b)	Find the probability that, on a randomly chosen day, Kino travels to school by is not late.	car given that he [2]

- 2 The lengths of the rods produced by a company are normally distributed with mean 55.6 mm and standard deviation 1.2 mm.
  - (a) In a random sample of 400 of these rods, how many would you expect to have length less than 54.8 mm? [4]

..... ..... ..... ..... ..... ..... ..... (b) Find the probability that a randomly chosen rod produced by this company has a length that is within half a standard deviation of the mean. [3] ..... ..... ..... ..... 

- **3** Three fair 6-sided dice, each with faces marked 1, 2, 3, 4, 5, 6, are thrown at the same time repeatedly. The score on each throw is the sum of the numbers on the uppermost faces.
  - (a) Find the probability that a score of 17 or more is first obtained on the 6th throw. [3] ..... ..... ..... ..... ..... ..... ..... (b) Find the probability that a score of 17 or more is obtained in fewer than 8 throws. [2] ..... ..... ..... ..... ..... ..... .....

4 The times taken, in minutes, to complete a word processing task by 250 employees at a particular company are summarised in the table.

Time taken ( <i>t</i> minutes)	$0 \leq t < 20$	$20 \leqslant t < 40$	$40 \leq t < 50$	$50 \leq t < 60$	$60 \leq t < 100$
Frequency	32	46	96	52	24

[4]

(a) Draw a histogram to represent this information.

		++				++	++	+	++									++			H	+		+			++	-
									Ħ													-						
						$\square$																						
		$\rightarrow$		++		++	++		$\square$	+							$\downarrow$	$\rightarrow$			$\square$		$\vdash$	+			+	
	+	++		++		++	++		$\square$	+	_	$\square$					$\downarrow$	+	+		$\vdash$		$\vdash$	+	_		++	
		++		++		++	++	+	++	+	_	++	++			-	$\vdash$			_	++	-	$\vdash$	+	-	++	+	-
		++		++		++	++	+	++	+	-	++	++				╉┼┼	+	+	-	++	+	+	+	-		++	-
				++		++	++	-	+	+	-	++					╉┼┼	+	+	-	++	-	+	+	-		++	-
		++		++		++	++	+	++	+	+					-	+	++	++	-	++	+	++	++	-	++	++	-
		++		++		++	++	+	++	+	+							++		-	++	+		++	+		++	-
						++		+	++		+							++				+			-		++	
		++		++	++	++	++	+	+	++	-	++					$^{+}$	++	+	-	+	-		+			++	
		++						+	Ħ								$^{+}$				Ħ	+	t t					
		++																+						+			++	
								T																				
		+			+	$\square$	+			+								+						+			+	
		++		++		++	++		$\square$	+							$\downarrow$	+			$\square$		$\vdash$	+			++	
$\vdash$		 ++	++	++	++	+	+	+	$\square$	+	_	$\square$	++	$\square$	+		$\square$	+	+	_	$\left  \right $	-	+	+		++	+	-
		++		++		++	++	_	++	+	-	++	++				⊢⊢	+	+	_	++	_	+	+	_		++	-
		++		++		++	++	+	++	+	-	++	++			-	┢┼┤	++	+	_	++	+	+	+	-		++	-
		++				++	++	+	++		_	++					+	++	+	-	++	+		++	+		++	-
		++		++		++	++	+	++	+ +	+	++				-	+	++	++	-	++	+	++	++	-	+	++	-
				+ +	+ +	++		+	++	++	+		++-					++		-	+ +	+	-		-		++	-
						++		+	$\left  \right $		-	++	++				+	++	+	-	++	+	$\vdash$		-		++	
								+			+					-	H			-		+						-
								+			-																	

From the data, the estimate of the mean time taken by these 250 employees is 43.2 minutes.

(b) Calculate an estimate for the standard deviation of these times. [3] ..... ..... ..... ..... ..... ..... ..... ..... ..... ..... ..... ..... ..... ..... ..... ..... ..... ..... ..... 

5 Eric has three coins. One of the coins is fair. The other two coins are each biased so that the probability of obtaining a head on any throw is  $\frac{1}{4}$ , independently of all other throws. Eric throws all three coins at the same time.

Events A and B are defined as follows.

- *A*: all three coins show the same result
- *B*: at least one of the biased coins shows a head
- (a) Show that  $P(B) = \frac{7}{16}$ . [2] ..... ..... ..... ..... ..... ..... ..... (b) Find  $P(A \mid B)$ . [2] ..... ..... ..... ..... .....

The random variable X is the number of heads obtained when Eric throws the three coins.

Draw up the probability distribution table for <i>X</i> .	
	••••
	••••
	••••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••

6 At a company's call centre, 90% of callers are connected immediately to a representative.A random sample of 12 callers is chosen.

(a)	Find the probability that fewer than 10 of these callers are connected immediately.	[3]
		•••••
		•••••
		•••••
		•••••

A random sample of 80 callers is chosen.

(b) Use an approximation to find the probability that more than 69 of these callers are connected immediately. [5]

..... ..... ..... ..... ..... ..... ..... ..... ..... ..... ..... (c) Justify the use of your approximation in part (b). [1] ..... ..... .....

7 (a) Find the number of different arrangements of the 9 letters in the word ALLIGATOR in which the two As are together and the two Ls are together. [2]

.....

(b) The 9 letters in the word ALLIGATOR are arranged in a random order.

Find the probability that the two Ls are together and there are exactly 6 letters between the two As. [5]

..... ..... ..... ..... ..... ..... ..... ..... ..... (c) Find the number of different selections of 5 letters from the 9 letters in the word ALLIGATOR which contain at least one A and at most one L. [3] ..... ..... ..... ..... ..... ..... ..... ..... ..... ..... .....

## **Additional Page**

If you use the following lined page to complete the answer(s) to any question(s), the question number(s) must be clearly shown.


## **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.