Surname	Centre Number	Candidate Number
First name(s)		0

## GCSE



C300UB0-1

A19-C300UB0-1



THURSDAY, 7 NOVEMBER 2019 – MORNING

# MATHEMATICS – Component 2 Calculator-Allowed Mathematics HIGHER TIER

2 hours 15 minutes

## ADDITIONAL MATERIALS

A calculator will be required for this examination.

A ruler, protractor and a pair of compasses may be required.

## INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen.

You may use a pencil for graphs and diagrams only.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer **all** the questions in the spaces provided.

If you run out of space, use the continuation page(s) at the back of the booklet, taking care to number the question(s) correctly.

Take  $\pi$  as 3.142 or use the  $\pi$  button on your calculator.

## INFORMATION FOR CANDIDATES

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.

The number of marks is given in brackets at the end of each question or part-question.

You are reminded of the need for good English and orderly, clear presentation in your answers.

For Exa	aminer's use	e only
Question	Maximum Mark	Mark Awarded
1.	3	
2.	3	
3.	4	
4. <i>(a)</i>	3	
4.(b)(c)(d)	6	
5.	8	
6.	7	
7.(a)(b)	7	
7.(c)	8	
8.	9	
9.	9	
10.	5	
11.	4	
12.	12	
13.	6	
14.	6	
15.	9	
16.	7	
17.	4	
Total	120	

#### Formula list

2

#### Area and volume formulae

Where r is the radius of the sphere or cone, l is the slant height of a cone and h is the perpendicular height of a cone:

Curved surface area of a cone = 
$$\pi rl$$
  
Surface area of a sphere =  $4\pi r^2$   
Volume of a sphere =  $\frac{4}{3}\pi r^3$   
Volume of a cone =  $\frac{1}{3}\pi r^2 h$ 

#### Kinematics formulae

Where *a* is constant acceleration, *u* is initial velocity, *v* is final velocity, *s* is displacement from the position when t = 0 and *t* is time taken:

v = u + at $s = ut + \frac{1}{2}at^{2}$  $v^{2} = u^{2} + 2as$ 

 1. 25 years ago, Raveena's grandparents invested £500 for her in an account paying 3.4% Compound interest per annum. No extra money was paid in and no money was withdrawn during these 25 years.
 Beaminer only

 Raveena has decided to withdraw all the money in the account after 25 years.
 How much should Raveena receive?
 Give your answer correct to the nearest penny. You must show all your working.
 [3]

		Exa
	/	
	$(x + 5)^{\circ}$	
	( <u>125</u> °	
	$(x - 10)^{\circ}$	
	$(x-75)^{\circ}$	
	$\backslash$	
	Diagram not drawn to scale	
	Ŭ	
Write an equa	ation in terms of x and solve it	
You must sho	ation in terms of $x$ and solve it. w all your working.	[3]

© WJEC CBAC Ltd.

#### Examiner only

3. The table below gives information from the Highway Code on stopping distances for cars.



## Remember 50 mph is 80 km/h.

The stopping distances given in the Highway Code assume good driving conditions and alert drivers.

When a driver is tired and the road is wet, the thinking distance increases by 30% and the braking distance increases by 20%.

A tired driver travels at 64 km/h in wet driving conditions.

Calculate their stopping distance in metres.

[4]

C300UB01 05

(a)	Expand and simplify $(2x - 7)(3x - 8)$ . [3]	Examine only
(b)	Solve $w^2 + 8w - 33 = 0.$ [3]	
(c)	Factorise $b^2 - 144$ . [1]	
(d)	Rearrange the following to make <i>e</i> the subject. Simplify your answer. $9e^2 = t^4$ [2]	

Examiner only

7

	Daily spowfall g in om	Number of days	
	Daily snowfall, <i>s</i> in cm	Number of days	
	$1.5 \leq s < 2.5$	4	
	$2.5 \leq s < 3.5$	2	
	$3.5 \leq s < 4.5$	1	
	$4.5 \leq s < 5.5$	0	
	$5.5 \leqslant s < 6.5$	3	
Cal	culate an estimate for the mean daily	, spowfall for these 10 days	[4]
On	ing the first 5 days of February, the r 6th February the snowfall was 23.9 c culate the mean snowfall for the first		[3

© WJEC CBAC Ltd.

C300UB01 07

only Shireen has a new shed. 6. (a) The walls of the shed are vertical. The shed stands on horizontal ground. The uniform cross-section has one line of symmetry. The diagram below shows some of the measurements of the cross-section. 2.5 m 1.7 m 2·4 m Diagram not drawn to scale Calculate the size of the angle between the roof of the shed and the horizontal. [4]

Examiner





Nadeen has 102 g of butter and plenty of flour and sugar. Nadeen uses all this butter to make scones.

Calculate the quantity of flour and sugar Nadeen needs.

(b)

		Nutrition per scone		
kcal	fat	carbohydrates	fibre	protein
268	10 g	41 g	1 g	6g

Sugar ..... g

Nadeen has been recommended to eat 2200 kcal per day. She eats two scones for lunch. Her breakfast was 390 kcals.

What percentage of the recommended daily kcals does Nadeen have left for meals later in the day? [4]

Give your answer correct to the nearest 0.01%.

Examiner only

[3]



C300UB01 11

(a)	In 2015, the average price of coal sold by a mine in the USA was \$31.83 per ton. This coal was then delivered to power stations. The power stations paid \$42.58 per ton for this coal. The difference in price was the delivery cost.	Examin only
	What percentage of the original price of the coal was this delivery cost? Give your answer correct to 3 significant figures.	[3]
(b)	In the USA and the UK the word 'ton' means different amounts: • a UK ton = 1016kg, • a USA ton = 907kg, • a tonne (called a metric ton in the USA) = 1000kg.	
	What is the difference between a UK ton and a USA ton? Give your answer in tonnes.	[2]
······		
······		



Turn over.

9. A square lawn has a side of length 8 m. A builder is asked to make a path around the outside edge of the square lawn.
(a) The plan was for a path of width *y* metres with all the edges of the path being straight. Find an expression for the area of this path in terms of *y*. Give your answer in its simplest form.

<ul> <li>(b) Before the builder started, the plan was updated and the following</li> <li>at each corner of the lawn the path should be a quarter circle</li> <li>the width of the path is to be 1.5 m,</li> <li>the path is to be made of 8 cm thick concrete.</li> </ul>	g agreed: cle,
Calculate the volume of the concrete needed for the path.	[5]

© WJEC CBAC Ltd.



. The diag <b>OA</b> = 5x	gram shows quadrilateral <i>OABC</i> . <b>x</b> , <b>OB</b> = $12x + 6y$ and <b>OC</b> = $8y$ .	Exam onl
	A 5x 5x 12x + 6y 6y 8y Diagram not drawn to scale	
<i>(a)</i> E	express <b>CA</b> in terms of $\mathbf{x}$ and $\mathbf{y}$ .	[1]
E G	P is the midpoint of <i>OB</i> . Express each of the following in terms of <b>x</b> and <b>y</b> . Give each of your answers in the simplest form. (i) <b>OP</b>	[1]
((	ii) <b>PA</b>	[1]
(c) D	ooes <i>P</i> lie on <i>CA</i> ? Yes No	
Υ.	ou must give a reason for your answer.	[1]
	© WJEC CBAC Ltd. (C300UB0-1)	Turn over.

12.	(a)	Factorise and hence solve the following equation.	[3]	Examiner only
		$4x^2 + 16x + 15 = 0$		
	(b)	Find the <i>n</i> th term of the following sequence.	[2]	
		7, 10, 15, 22, 31, 42,		
	•••••			
	(C)	Ali walks slowly from home through a forest and back home again.		
		He walks a total distance of $(3x + 1)$ km in a time of $(\frac{x}{2} + 6)$ hours. Ali's average speed is 2 km/h. He left home at 9 a.m.		
		At what time did Ali return home?	[4]	
	•••••			
	•••••			
	•••••			
		Ali returned home at		

	(d)	The expression $x^2 + 18x + 2$ has a minimum value. By <b>completing the square</b> , complete the statements below. You must show all your working.	[3]	Examiner only
		'The minimum value of $x^2 + 18x + 2$ occurs when $x =$		
		'The minimum value of $x^2 + 18x + 2$ is		
	······			
13.	Solve	e the following simultaneous equations.		
		$y = 3x^2 + 4x - 7$ y = 2x + 5		
	Use	an algebraic method and give your answers correct to 2 decimal places.	[6]	
	•••••			
	•••••			
	••••••			
	•••••			
	•••••			
	•••••			
	•••••			
	•••••			





(b) Harriet argues that the acceleration at t = 22 represents the typical acceleration of the car during the first 32 seconds of this period.

Explain why Harriet's argument is correct.

(c) Over the same 60 seconds, the velocity, v m/s, at time, t seconds, of another car is given by the following equation.

$$v = 7 + \frac{t^2}{1000}$$

Find two times for which the difference in the two cars' velocities was 2.5 m/s. Give these times correct to the nearest second. You must show all your working.

.....

(C300UB0-1)

[4]

Examiner only

[1]

(a)	The volume of a cone is equal to the volume of a sphere. The radius of the cone is four times the radius of the sphere.	E
	Show that the perpendicular height of the cone is a quarter of the radius of the sphere. [4	-]
(b)	The radii of two spheres are in the ratio 2 : 7. The volume of the smaller sphere is $10.4  \text{cm}^3$ .	
	Calculate the volume of the larger sphere. [3	5]



### END OF PAPER

For continuation only.	Examiner only

For continuation only.	Examiner only