

Cambridge IGCSE[™](9–1)

CHEMISTRY

Paper 1 Multiple Choice (Core)

0971/12 May/June 2022 45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are forty questions on this paper. Answer all questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

1 Substances change state when their temperature is changed.

Which changes of state take place when the temperature of a substance is lowered?

- 1 boiling
 2 condensation
 3 freezing
 4 melting
 A 1 and 4 B 2, 3 and 4 C 2 and 3 only D 3 only
- **2** A student measures the time taken for 2.0 g of magnesium to dissolve in 50 cm³ of dilute sulfuric acid.

Which apparatus is essential to complete the experiment?

- 1 stop-clock
- 2 measuring cylinder
- 3 thermometer
- 4 balance
- **A** 1, 2 and 4 **B** 1 and 2 only **C** 1 and 4 only **D** 2, 3 and 4
- 3 Which method is used to separate a mixture of the following liquids?

liquid	boiling point/°C
methanol	64.5
ethanol	78.5
propan-1-ol	97.2
butan-1-ol	117.0

- **A** crystallisation
- **B** evaporation
- **C** filtration
- **D** fractional distillation

4 X and Y are two different elements.

X and Y have the same number of nucleons.

Which statement about X and Y is correct?

- **A** They have the same physical properties.
- **B** Their atoms have the same number of electrons.
- **C** They are in different groups of the Periodic Table.
- **D** They have different relative masses.
- 5 Which row identifies an alloy, a pure metal and a non-metal?

	alloy	pure metal	non-metal
Α	brass	carbon	copper
в	brass	copper	carbon
С	copper	brass	carbon
D	copper	carbon	brass

- 6 Which statement about ions and ionic bonding is correct?
 - **A** Caesium atoms gain electrons to form negatively charged caesium ions.
 - **B** lonic bonding involves sharing of pairs of electrons.
 - **C** Potassium ions and chloride ions have the same number of outer-shell electrons.
 - **D** Sodium ions have an equal number of protons and electrons.
- 7 Which dot-and-cross diagram shows the arrangement of outer shell electrons in a molecule of hydrogen chloride?



- 8 Which statement explains why graphite can be used as a lubricant?
 - **A** All of the atoms in graphite are carbon.
 - **B** Each carbon atom forms three bonds.
 - **C** Graphite has a macromolecular structure.
 - **D** The layers in graphite can slide over each other.

9 A compound of element X has the formula X_2O and a relative formula mass of 144.

What is element X?

- A copper, Cu
- B gadolinium, Gd
- **C** sulfur, S
- **D** tellurium, Te
- **10** The diagram shows the electrolysis of concentrated hydrochloric acid and concentrated aqueous sodium chloride using carbon electrodes.



- A electrode 1 only
- **B** electrodes 1 and 3
- **C** electrode 2 only
- **D** electrodes 2 and 4
- **11** Which type of reaction occurs when calcium carbonate is heated at a high temperature to produce calcium oxide and carbon dioxide?
 - A combustion
 - **B** endothermic
 - C oxidation
 - D reduction

12 Which row identifies a chemical change and a physical change?

	chemical change	physical change
Α	boiling ethanol	burning ethanol
В	burning ethanol	evaporating ethanol
С	dissolving ethanol in water	burning ethanol
D	evaporating ethanol	dissolving ethanol in water

- **13** Which statement about rate of reaction is correct?
 - **A** Catalysts increase the time for the reaction to be completed.
 - **B** Decreasing particle size increases the rate of reaction.
 - **C** Decreasing temperature increases the rate of reaction.
 - **D** Rate of reaction decreases as the concentration increases.
- **14** Some common household substances are tested with litmus and methyl orange.

household substance	colour of litmus	colour of methyl orange
bicarbonate of soda	blue	yellow
lemonade	red	red
milk	red	red
milk of magnesia	blue	yellow
washing powder	blue	yellow
vinegar	red	red

Which statement is correct?

- **A** Lemonade, milk and bicarbonate of soda are all acidic.
- **B** Milk of magnesia can neutralise washing powder.
- **C** Milk of magnesia, washing powder and vinegar are all bases.
- **D** Vinegar can neutralise bicarbonate of soda.

15 Water is added to anhydrous copper(II) sulfate.

What happens during the reaction?

- **A** The copper(II) sulfate turns blue and the solution formed gets colder.
- **B** The copper(II) sulfate turns blue and the solution formed gets hotter.
- **C** The copper(II) sulfate turns white and the solution formed gets colder.
- **D** The copper(II) sulfate turns white and the solution formed gets hotter.
- 16 In which equation is carbon both oxidised and reduced?
 - $\textbf{A} \quad \textbf{C} \ \textbf{+} \ \textbf{O}_2 \ \rightarrow \ \textbf{CO}_2$
 - $\textbf{B} \quad \text{CO}_2 \ \textbf{+} \ \text{C} \ \rightarrow \ \text{2CO}$
 - $\textbf{C} \quad 3CO \ \textbf{+} \ Fe_2O_3 \ \rightarrow \ 3CO_2 \ \textbf{+} \ 2Fe$
 - $\textbf{D} \quad 2\text{CO} + \text{O}_2 \rightarrow 2\text{CO}_2$
- **17** Aqueous solutions containing copper(II) ions can be identified using flame tests and by adding aqueous sodium hydroxide.

Which row describes what is observed in these tests?

	flame test	aqueous sodium hydroxide
Α	blue-green flame	light blue precipitate
в	blue-green flame	green precipitate
С	lilac flame	light blue precipitate
D	lilac flame	green precipitate

18 The oxides of two elements, X and Y, are separately dissolved in water and the pH of each solution tested.

oxide tested	pH of solution
Х	1
Y	13

Which information about X and Y is correct?

	oxide is acidic	oxide is basic	metal	non-metal
Α	Х	Y	Х	Y
В	Х	Y	Y	Х
С	Y	Х	Х	Y
D	Y	Х	Y	Х

19 An acid is neutralised by adding an excess of an insoluble solid base.

A soluble salt is formed.

How is the pure salt obtained from the reaction mixture?

- **A** crystallisation \rightarrow evaporation \rightarrow filtration
- **B** evaporation \rightarrow crystallisation \rightarrow filtration
- **C** filtration \rightarrow crystallisation \rightarrow evaporation
- **D** filtration \rightarrow evaporation \rightarrow crystallisation
- 20 Some statements about gas G are listed.
 - G is monoatomic.
 - G is found in clean, dry air.
 - G is used in lamps.

Which element is G?

- A argon
- **B** helium
- C nitrogen
- D oxygen

21 Part of the Periodic Table is shown.

Which element is a metal?



22 The elements sodium to argon form Period 3 of the Periodic Table.

Which row describes the trend across Period 3 from left to right?

	number of outer-shell electrons	metallic character	group number
Α	decreases	decreases	decreases
в	decreases	increases	decreases
С	increases	decreases	increases
D	increases	increases	increases

23 Some properties of element E are listed.

It has a high density.

It has a high melting point.

What is E?

- **A** aluminium
- **B** bromine
- **C** iron
- **D** lithium

24 Lithium, sodium and potassium are elements in Group I of the Periodic Table.

Chlorine, bromine and iodine are elements in Group VII of the Periodic Table.

Which row identifies the least dense of these elements in each group?

	Group I	Group VII
Α	lithium	chlorine
В	lithium	iodine
С	potassium	chlorine
D	potassium	iodine

25 The reactions of metals P, Q, R and S are shown.

metal	reaction with water	reaction with hydrochloric acid	reduction of the metal oxide with carbon
Р	no reaction	no reaction	reduced
Q	slow	vigorous	no reaction
R	vigorous	vigorous	no reaction
S	very slow	vigorous	reduced

What is the order of reactivity of the metals?

	least reactive			most reactive
Α	Р	S	Q	R
в	Р	Q	S	R
С	R	S	Q	Р
D	R	Q	S	Р

26 Iron is extracted from hematite in the blast furnace at a temperature of about 1550 °C.

Which equation shows the main reaction that increases the temperature in the furnace?

$$\textbf{A} \quad \text{CaCO}_3 \ \rightarrow \ \text{CaO} \ + \ \text{CO}_2$$

$$\mathbf{B} \quad \mathbf{C} + \mathbf{O}_2 \rightarrow \mathbf{CO}_2$$

- $\textbf{C} \quad \text{CO}_2 \ \textbf{+} \ \text{C} \ \rightarrow \ 2\text{CO}$
- $\textbf{D} \quad \text{Fe}_2\text{O}_3 \text{ + } 3\text{CO} \ \rightarrow \ 2\text{Fe} \text{ + } 3\text{CO}_2$

27 Which diagram represents the arrangement of atoms in an alloy?



28 Which uses of the metals shown are correct?

	aluminium	stainless steel
Α	aircraft bodies	car bodies
В	car bodies	aircraft bodies
С	chemical plant	food containers
D	food containers	cutlery

29 Which row identifies a substance present in clean air and a substance that is a pollutant in air?

	present in clean air	pollutant in air
Α	oxides of nitrogen	nitrogen
В	carbon dioxide	sulfur dioxide
С	carbon monoxide	lead compounds
D	nitrogen	argon

- 30 Which property of sulfur dioxide explains why it is used as a food preservative?
 - **A** acidic oxide
 - B bleach
 - **C** kills bacteria
 - D pungent smell

31 Fertilisers are used to provide three of the elements needed for plant growth.

Which two compounds would give a fertiliser containing all three of these elements?

- A $Ca(NO_3)_2$ and $(NH_4)_2SO_4$
- **B** $Ca(NO_3)_2$ and $(NH_4)_3PO_4$
- C KNO₃ and (NH₄)₂SO₄
- **D** KNO₃ and $(NH_4)_3PO_4$
- 32 Compound J is an unsaturated carboxylic acid.

Which bonds are present in a molecule of J?

	C=C	C=O	O–H	
Α	1	1	\checkmark	key
в	x	\checkmark	\checkmark	✓ = yes
С	\checkmark	x	x	x = no
D	x	1	X	

33 Petroleum is separated into useful fractions by fractional distillation.

Which fraction is used as a fuel for jet aeroplanes?

- A fuel oil
- B gasoline
- C naphtha
- D kerosene/paraffin
- 34 What are the products when limestone (calcium carbonate) is heated strongly?
 - A calcium hydroxide and carbon dioxide
 - **B** calcium hydroxide and carbon monoxide
 - C calcium oxide and carbon dioxide
 - D calcium oxide and carbon monoxide

35 Ethene reacts with substance X to form ethanol.

What is X?

- **A** ethanoic acid
- B glucose
- C hydrogen
- D steam
- 36 What is the equation for the complete combustion of methane?
 - $\textbf{A} \quad CH_4 \ \textbf{+} \ 4O_2 \ \rightarrow \ CO_2 \ \textbf{+} \ 2H_2O$
 - $\textbf{B} \quad 2CH_4 \ \textbf{+} \ 3O_2 \ \rightarrow \ 2CO \ \textbf{+} \ 4H_2O$
 - $\textbf{C} \quad CH_4 \ \textbf{+} \ 2O_2 \ \rightarrow \ CO_2 \ \textbf{+} \ 2H_2O$
 - $\textbf{D} \quad C_2H_6 \ \textbf{+} \ 3O_2 \ \rightarrow \ 2CO_2 \ \textbf{+} \ 3H_2O$
- **37** Alkenes can be produced by cracking large hydrocarbon molecules to form smaller hydrocarbon molecules.

Which equations represent possible reactions when tetradecane, $C_{14}H_{30}$, is cracked?

Α	1 only	B 1 and 4 C 1, 2 and 3 D 3 and 4
	4	$C_{14}H_{30} \ \rightarrow \ C_2H_6 \ + \ C_3H_8 \ + \ C_9H_{18}$
	3	$C_{14}H_{30} \ \rightarrow \ C_2H_6 \ + \ 4C_3H_6$
	2	$C_{14}H_{30} \rightarrow H_2 + C_2H_4 + C_3H_6 + C_4H_8 + C_5H_{10}$
	1	$C_{14}H_{30} \rightarrow C_2H_6 + C_3H_6 + C_4H_8 + C_5H_{10}$

38 The products formed by burning substance J are passed through the apparatus shown.



What is substance J?

- A carbon monoxide
- B ethanol
- C hydrogen
- D sulfur
- 39 Which statements about ethanoic acid are correct?
 - 1 Aqueous ethanoic acid reacts with magnesium to form magnesium ethanoate.
 - 2 Carbon dioxide is formed when aqueous ethanoic acid reacts with sodium carbonate.
 - 3 Hydrogen is formed when aqueous ethanoic acid reacts with sodium hydroxide.
 - 4 Ethanoic acid turns red litmus paper blue.
 - **A** 1 and 2 **B** 1 and 3 **C** 2 and 3 **D** 2 and 4
- 40 Which statement about polymerisation is correct?
 - A Large monomer molecules join to form small polymer molecules.
 - **B** Large polymer molecules join to form small monomer molecules.
 - **C** Small monomer molecules join to form large polymer molecules.
 - **D** Small polymer molecules join to form large monomer molecules.

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

		2	Не	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	Кr	krypton 84	54	Xe	xenon 131	86	Rn	radon			
,	= >				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Br	bromine 80	53	I	iodine 127	85	At	astatine			
5	-				80	0	oxygen 16	16	ა	sulfur 32	34	Se	selenium 79	52	Te	tellurium 128	84	Ро	polonium	116	۲<	livermorium –
>	>				7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	B	bismuth	224		
≥	>				9	U	carbon 12	14	S:	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	РЬ	lead 207	114	Fl	flerovium -
=	=				5	ш	boron 11	13	Al	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204	5		
				I							30	Zn	zinc 65	48	Cd	cadmium 112	80	Hg	mercury 201	112	Cn	copernicium -
											29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium -
Group											28	ïZ	nickel 59	46	Pd	palladium 106	78	Ţ	platinum 195	110	Ds	darmstadtium -
Gro											27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium -
		-	T	hydrogen 1							26	Ъe	iron 56	44	Ru	ruthenium 101	76	SO	osmium 190	108	Hs	hassium –
											25	Mn	manganese 55	43	Tc	technetium -	75	Re	rhenium 1.86	107	Bh	bohrium –
					-	bol	ass				24	ŗ	chromium 52	42	Мо	molybdenum 96	74	8	tungsten 184	106	Sg	seaborgium _
		Key	atomic numb∈	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Та	tantalum 181	105	Db	dubnium –	
						atc	rel				22	F	titanium 48	40	Zr	zirconium 91	72	Ħ	hafnium 178	104	Rf	rutherfordium -
											21	Sc	scandium 45	39	≻	yttrium 89	57-71	lanthanoids		89-103	actinoids	
=	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	56	Ba	barium 137	88	Ra	radium –
-	-				ę	:	lithium 7	1	Na	sodium 23	19	×	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ч	francium -

Lu Iutetium 175 103 Lr Iawrencium Yby Ytterbium 173 102 102 NO mendelevium 101 Md Er 167 100 100 fm fm HO 165 99 ES Dy dysprosium 163 98 Cf Tb 159 97 97 berkelium Gd 157 157 157 157 157 157 157 Eu ^{europium} 152 95 95 americium Sm 150 94 94 Du Putonium Pm promethium **Np** Teptunium 92 0 238 238 ⁰⁰ Nd praseodymium 141 91 Pa protactinium 231 Cenium 140 90 90 HT 1232 La lanthanum 139 AC actinium lanthanoids actinoids

The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.).