

## CHEMISTRY

Paper 2 Multiple Choice (Extended)

0971/22 October/November 2018

45 minutes

Additional Materials: Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

087881

Do not use staples, paper clips, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used.

This document consists of 16 printed pages.



**1** Oxygen and fluorine are gaseous elements next to each other in the Periodic Table.

Under the same conditions of temperature and pressure, oxygen diffuses .....1..... than fluorine because its .....2..... is less than that of fluorine.

Which words correctly complete gaps 1 and 2?

	1	2
Α	faster	molecular mass
в	faster	reactivity
С	slower	molecular mass
D	slower	reactivity

2 The diagrams show four pieces of laboratory equipment.



Which equipment is essential to find out if dissolving a salt in water is an exothermic process?

	balance	pipette	stop-clock	thermometer
Α	x	x	x	$\checkmark$
в	$\checkmark$	x	x	1
С	x	$\checkmark$	x	1
D	$\checkmark$	X	$\checkmark$	x

**3** How many neutrons are present in the atom  $\frac{45}{21}$ X?

**A** 21 **B** 24 **C** 45 **D** 66

4 Two naturally occurring isotopes of oxygen are  $^{16}$ O and  $^{17}$ O.

Which statement is correct?

- A Both isotopes react with iron to form rust.
- **B** Neither isotope reacts with iron to form rust.
- **C** Only <sup>16</sup>O reacts with iron to form rust.
- **D** Only <sup>17</sup>O reacts with iron to form rust.
- 5 How many electrons are used to form covalent bonds in a molecule of methanol, CH<sub>3</sub>OH?

	Α	5	В	6	С	8	D	10
--	---	---	---	---	---	---	---	----

6 Potassium bromide and methanol are both compounds.

Their melting points are different.

Which row is correct?

	substance with the higher melting point	reason why the melting points are different
Α	methanol	the attractive forces between oppositely charged ions is greater than the attractive forces between molecules
В	methanol	the attractive forces between molecules is greater than the attractive forces between oppositely charged ions
С	potassium bromide	the attractive forces between oppositely charged ions is greater than the attractive forces between molecules
D	potassium bromide	the attractive forces between molecules is greater than the attractive forces between oppositely charged ions

- 7 Which gas sample contains the smallest number of molecules?
  - **A** 4 g of helium
  - **B** 16 g of oxygen
  - **C** 28 g of carbon monoxide
  - D 28 g of nitrogen

8 The equation for the reaction between calcium carbonate and dilute nitric acid is shown.

 $CaCO_3(s) \ + \ 2HNO_3(aq) \ \rightarrow \ Ca(NO_3)_2(aq) \ + \ CO_2(g) \ + \ H_2O(I)$ 

25g of calcium carbonate is reacted with an excess of dilute nitric acid.

Which mass of calcium nitrate and which volume of carbon dioxide is produced at room temperature and pressure?

	mass of calcium nitrate/g	volume of carbon dioxide/dm <sup>3</sup>
Α	29	6
в	29	12
С	41	6
D	41	12

**9** The formulae of some ions are shown.

positive ion	negative ion
Ti <sup>4+</sup>	PO4 <sup>3-</sup>
Al <sup>3+</sup>	SO4 <sup>2-</sup>
Mg <sup>2+</sup>	NO <sub>3</sub> <sup>-</sup>
K⁺	Cl⁻

Which formula is **not** correct?

**A**  $Al_3(SO_4)_2$  **B**  $K_3PO_4$  **C**  $Mg(NO_3)_2$  **D**  $TiCl_4$ 

**10** Concentrated aqueous copper(II) chloride is electrolysed using copper electrodes as shown.



What happens to the mass of each electrode during this process?

	positive electrode	negative electrode
Α	decreases	decreases
в	decreases	increases
С	increases	decreases
D	increases	increases

**11** The diagram shows a circuit used to electrolyse aqueous copper(II) sulfate.



Which arrows indicate the movement of the copper ions in the electrolyte and of the electrons in the external circuit?

	copper ions	electrons
Α	1	3
в	1	4
С	2	3
D	2	4

**12** Hydrogen peroxide, H–O–O–H, decomposes to form water and oxygen.

$$2H_2O_2(g) \rightarrow 2H_2O(g) + O_2(g)$$

The bond energies are shown in the table. The reaction is exothermic.

bond	bond energy in kJ/mol
O–H	+460
0–0	+150
O=0	+496

What is the energy change for the reaction?

**A** –346 kJ/mol **B** –196 kJ/mol **C** +196 kJ/mol **D** +346 kJ/mol

**13** The equation for the formation of ammonia is shown.

$$N_2 \ + \ 3H_2 \ \rightarrow \ 2NH_3$$

The energy level diagram for the reaction is shown.



progress of reaction

What is the energy change for the reaction?

- A –592 kJ / mol
- **B** –92 kJ/mol
- **C** +92 kJ/mol
- **D** +592 kJ/mol
- **14** The rate of reaction between magnesium ribbon and 2 mol/dm<sup>3</sup> hydrochloric acid at 25 °C to produce hydrogen gas is measured.

In another experiment, either the concentration of the hydrochloric acid or the temperature is changed. All other conditions are kept the same.

Which conditions increase the rate of reaction?

- A 1 mol/dm<sup>3</sup> hydrochloric acid at 25 °C
- **B** 2 mol/dm<sup>3</sup> hydrochloric acid at 10 °C
- **C** 2 mol/dm<sup>3</sup> hydrochloric acid at 20 °C
- **D** 3 mol/dm<sup>3</sup> hydrochloric acid at 25 °C

**15** Methanol is prepared by the reversible reaction shown.

 $CO(g) + 2H_2(g) \rightleftharpoons CH_3OH(g)$ 

The forward reaction is exothermic.

Which conditions produce the highest equilibrium yield of methanol?

	temperature	pressure
Α	high	high
в	high	low
С	low	high
D	low	low

**16** The thermite reaction can be used to produce iron from iron(III) oxide.

The equation for the reaction is shown.

$$2Al + Fe_2O_3 \rightarrow 2Fe + Al_2O_3$$

Which statements about this reaction are correct?

- 1 Aluminium is the oxidising agent.
- 2 Aluminium is less reactive than iron.
- 3 Electrons are transferred from aluminium to iron.
- 4 The iron in the iron(III) oxide is reduced.
- A 1 and 3 B 1 and 4 C 2 and 3 D 3 and 4
- 17 In which row are the oxides correctly identified?

	acidic	basic
Α	magnesium oxide, calcium oxide	sulfur dioxide, carbon dioxide
в	magnesium oxide, sulfur dioxide	carbon dioxide, calcium oxide
С	sulfur dioxide, carbon dioxide	calcium oxide, magnesium oxide
D	sulfur dioxide, magnesium oxide	calcium oxide, carbon dioxide

**18** When dilute sulfuric acid is added to solid X, a colourless solution is formed and a gas is produced.

What is X?

- **A** copper(II) oxide
- B sodium oxide
- **C** copper(II) carbonate
- **D** sodium carbonate
- **19** A few drops of methyl orange are added to a reaction mixture.

During the reaction, a gas is produced and the methyl orange turns from red to orange.

What are the reactants?

- A aqueous sodium hydroxide and ammonium chloride
- **B** aqueous sodium hydroxide and calcium carbonate
- **C** dilute hydrochloric acid and magnesium
- D dilute hydrochloric acid and aqueous sodium hydroxide
- 20 Some general rules for the solubility of salts in water are listed.
  - Carbonates are insoluble (except ammonium carbonate, potassium carbonate and sodium carbonate).
  - Chlorides are soluble (except lead(II) chloride and silver chloride).
  - Nitrates are soluble.
  - Sulfates are soluble (except barium sulfate, calcium sulfate and lead(II) sulfate).

Which substances produce an insoluble salt when aqueous solutions of them are mixed?

- **A** barium chloride and magnesium nitrate
- **B** calcium chloride and ammonium nitrate
- **C** silver nitrate and zinc chloride
- **D** sodium carbonate and potassium sulfate

**21** Elements in Group I of the Periodic Table react with water.

Which row describes the products made in the reaction and the trend in reactivity of the elements?

	products	trend in reactivity
Α	metal hydroxide and hydrogen	less reactive down the group
в	metal hydroxide and hydrogen	more reactive down the group
С	metal oxide and hydrogen	less reactive down the group
D	metal oxide and hydrogen	more reactive down the group

22 The equation shows the reaction between a halogen and aqueous bromide ions.

Which words complete gaps 1, 2 and 3?

	1	2	3
Α	chlorine	brown	colourless
В	chlorine	colourless	brown
С	iodine	brown	colourless
D	iodine	colourless	brown

23 An inert gas R is used to fill weather balloons.

Which descriptions of R are correct?

	number of outer shell electrons in atoms of R	structure of gas R
Α	2	diatomic molecules
в	2	single atoms
С	8	diatomic molecules
D	8	single atoms

**24** Heating copper(II) carbonate produces copper(II) oxide and carbon dioxide.

Heating the copper(II) oxide formed with carbon produces copper.

Which processes are involved in this conversion of copper(II) carbonate to copper?

- A sublimation followed by oxidation
- **B** sublimation followed by reduction
- **C** thermal decomposition followed by oxidation
- **D** thermal decomposition followed by reduction
- **25** Four metals, W, X, Y and Z, are separately reacted with water and dilute hydrochloric acid.

The results are shown.

		me	etal	
	W	Х	Y	Z
reaction with water	fizzes	no reaction	fizzes vigorously	no reaction
reaction with dilute hydrochloric acid	fizzes	no reaction	fizzes violently	fizzes

What is the order of reactivity of the four metals starting with the least reactive?

	least reacti	ve —	<b>→</b> mo	ost reactive
Α	Х	W	Z	Y
в	х	Z	W	Y
С	Y	W	Z	х
D	Y	Z	W	х

- 26 Which statement about the uses of metals is not correct?
  - A Aluminium is used in aircraft because of its strength and good electrical conductivity.
  - B Copper is used in electrical wiring because of its good electrical conductivity.
  - **C** Stainless steel resists corrosion and is used to make cutlery.
  - **D** Transition elements are often used as catalysts.

27 Bauxite contains aluminium oxide.

Aluminium is extracted from aluminium oxide by electrolysis.

Why is cryolite added to the electrolytic cell used to extract aluminium?

- A Cryolite prevents the carbon anodes being burned away.
- **B** Cryolite removes impurities from the bauxite.
- **C** Cryolite increases the rate at which aluminium ions are discharged.
- **D** Molten cryolite dissolves the aluminium oxide.
- 28 Which statement about the Haber process is correct?
  - **A** The hydrogen used is obtained from the air.
  - **B** The nitrogen used is obtained from nitrates in the soil.
  - **C** Nitrogen reacts with hydrogen to make ammonia.
  - **D** The reaction takes place at room temperature and pressure.
- 29 Which statements about sulfur dioxide pollution are correct?
  - 1 It increases the pH of rivers.
  - 2 It damages limestone buildings.
  - 3 It causes respiratory problems.
  - **A** 1 only **B** 2 only **C** 1 and 3 **D** 2 and 3
- **30** Argon is a noble gas used to fill light bulbs.

What is the approximate percentage of argon in air?

**A** 1% **B** 20% **C** 79% **D** 99%

31 The diagrams show experiments involving the rusting of iron.



A student predicted the following results.

- 1 In tube P, the iron nails rust.
- 2 In tube Q, the iron nails do not rust.
- 3 In tube R, the iron nails do not rust.

Which predictions are correct?

Α	1, 2 and 3	В	1 and 2 only	С	1 and 3 only	D	2 and 3 only
---	------------	---	--------------	---	--------------	---	--------------

- 32 In the carbon cycle, which two processes add carbon dioxide to the atmosphere?
  - A combustion and carbonate formation
  - **B** combustion and photosynthesis
  - **C** combustion and respiration
  - **D** respiration and photosynthesis
- 33 Which statement about sulfur or one of its compounds is correct?
  - A Sulfur occurs naturally as the element sulfur.
  - **B** Sulfur dioxide is used to kill bacteria in drinking water.
  - **C** Sulfuric acid is a weak acid.
  - **D** Dilute sulfuric acid is a dehydrating agent.

- 34 What is not a use of lime?
  - A It is used as a bleach in the manufacture of wood pulp.
  - **B** It is used to desulfurise flue gases.
  - **C** It is used to neutralise acidic industrial waste.
  - **D** It is used to treat acidic soil.

35 Which equation representing a reaction of methane is correct?

- $\textbf{A} \quad CH_4 \ \textbf{+} \ Cl_2 \ \rightarrow \ CH_3Cl \ \textbf{+} \ HCl$
- $\textbf{B} \quad CH_4 \ \textbf{+} \ Cl_2 \ \rightarrow \ CH_4Cl_2$
- $\textbf{C} \quad CH_4 \ + \ Cl_2 \ \rightarrow \ CH_2Cl_2 \ + \ H_2$
- **D**  $2CH_4 + 2Cl_2 \rightarrow 2CH_3Cl + Cl_2 + H_2$
- 36 Which two compounds are molecules which both contain a double bond?
  - A ethane and ethanoic acid
  - B ethane and ethanol
  - C ethene and ethanoic acid
  - **D** ethene and ethanol
- 37 Ethanol can be formed by:
  - 1 fermentation
  - 2 reaction between steam and ethene.

Which of these processes use a catalyst?

	1	2
Α	1	1
в	$\checkmark$	x
С	x	1
D	X	x

38 Ethanol is manufactured from ethene.

What is an advantage of this process?

- A It is a continuous process.
- **B** It has high labour costs.
- **C** It needs high temperature and pressure.
- **D** It uses non-renewable materials.
- 39 Which reaction can be used to make ethanoic acid?
  - A oxidation of ethanol
  - B oxidation of ethene
  - **C** reduction of ethanol
  - **D** reduction of ethene
- **40** The structure of an addition polymer is shown.



Which monomer is used to make this polymer?



To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).

© UCLES 2018

The Periodic Table of Elements

								Grc	Group								
_	=											≡	≥	>	7	١١٨	<pre>NII</pre>
							- I										T 7
				Key			hydrogen 1										helium 4
e	4		0	atomic number								5	9	7	80	6	10
:	Be		ato	atomic symbol	loc							Ю	ပ	z	0	ш	Ne
lithium 7	beryllium 9		rela	name relative atomic mass	SS							boron 11	carbon 12	nitrogen 14	oxygen 16	fluorine 19	neon 20
1	12	-										13	14	15	16	17	18
Na	Mg											Αl	Si.	٩	ა	Cl	Ar
sodium 23	magnesium 24											aluminium 27	silicon 28	phosphorus 31	sulfur 32	chlorine 35.5	argon 40
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
¥	Ca	Sc	i	>	ບັ	Mn	Бе	ပိ	Ż	Cu	Zn	Ga	Ge	As	Se	Ъ	Кr
potassium 39	calcium 40	scandium 45	titanium 48	vanadium 51	chromium 52	manganese 55	iron 56	cobalt 59	nickel 59	copper 64	zinc 65	gallium 70	germanium 73	arsenic 75	selenium 79	bromine 80	krypton 84
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	ي ا	≻	Zr	qN	Mo	Ц	Ru	RЪ	Pd	Ag	Cd	In	Sn	Sb	Те	Ι	Xe
rubidium 85	strontium 88	yttrium 89	zirconium 91	niobium 93	molybdenum 96	technetium -	ruthenium 101	rhodium 103	palladium 106	silver 108	cadmium 112	indium 115	tin 119	antimony 122	tellurium 128	iodine 127	xenon 131
55	56	57-71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
Cs	Ba	lanthanoids	Ħ	Ца	≥	Re	SO	Ir	Ŧ	Au	Hg	11	Pb	Bi	Ро	At	Rn
caesium 133	barium 137		hafnium 178	tantalum 181	tungsten 184	rhenium 186	osmium 190	iridium 192	platinum 195	gold 197	mercury 201	thallium 204	lead 207	bismuth 209	polonium –	astatine 	radon -
87	88	89-103	104	105	106	107	108	109	110	111	112		114		116		
г Н	Ra	actinoids	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg	Cn		11		2		
francium -	radium -		rutherfordium -	dubnium –	seaborgium -	bohrium –	hassium -	meitnerium -	darmstadtium -	roentgenium -	copernicium -		flerovium -		livermorium –		
		57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	
lanthanoids	ds	Га	Ŭ	Pr	ΡN	Pm	Sm	Еu	Ъд	Тb	Dy	Ч	ц	Tm	٩Y	Lu	
		lanthanum 139	-	praseodymium 141	neodymium 144	promethium -	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175	
		68		91	92	93	94	95	96	97	98	66		101		103	
actinoids		Ac	Th	Ра		ЧN	Pu	Am	CB	異	ç	Es		Md		Ļ	
		actinium I	thorium 232	protactinium 231	uranium 238	neptunium -	plutonium -	americium -	curium I	berkelium –	californium –	einsteinium –		mendelevium -	nobelium -	lawrencium -	

0971/22/O/N/18