

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/52

Paper 5 (Core) May/June 2017

MARK SCHEME
Maximum Mark: 24



This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

 ${\rm \rlap{R}\hskip-1pt B}$ IGCSE is a registered trademark.



Cambridge IGCSE – Mark Scheme **PUBLISHED**

MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark

- M Method marks, awarded for a valid method applied to the problem.
- A Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation 'dep' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

Abbreviations

awrt answers which round to cao correct answer only

dep dependent

FT follow through after error isw ignore subsequent working nfww not from wrong working

oe or equivalent

rot rounded or truncated

SC Special Case soi seen or implied

© UCLES 2017 Page 2 of 4

Cambridge IGCSE – Mark Scheme **PUBLISHED**

Question	Answer											Mark	Part Marks
1(a)	×3	3	6	9	12	15	18	21	24	27	30	2	B1 for at most 2 errors
	NS	3	6	9	3	6	9	3	6	9	3		
								1	1	1			
	×12	12	24	36	48	60	72	84	96	108			
	NS	3	6	9	3	6	9	3	6	9	3		
	×21	21	42	63	84	105	126	147	168	189	210		
	NS	3	6	9	3	6	9	3	6	9	3		
	×30	30	60	90	120	150	180	210	240	270	300		
	NS	3	6	9	3	6	9	3	6	9	3		
1.7						Ů			Ü				
1(b)	multiples oe											1	
1(c)	3 ÷ 9				= 0		remainder 3				2	B1 for 3 correct	
	$12 \div 9 = 1$ remainder 3								er				
	21 ÷ 9				= 2		remainder			3			
	30 ÷ 9				= 3		remainder			3			
	39 ÷ 9				= 4		remainder		er	3			
1(d)	remainder 3											1	
1(e)(i)	Add 9	oe										1	
1(e)(ii)	9n + 3 oe												$\mathbf{B1} \text{ for } 9n + a \text{ oe}$ $(a \text{ may} = 0)$
1(e)(iii)	786												FT their (9n + 3) C opportunity
2(a)	×2 2 4 6 8 10 12 14 16 18 20 22 24										2	B1 for at most 2 errors	
	NS 2 4 6 8 1 3 5 7 9 2 4 6								9 2				
	×11 1	1 22	2 33	44	55	66	77 8	38 9	9 11	0 121	132		
	NS 2	2 4	6	8	1	3	5	7 9	2	4	6		
2(b)(i)	38, 47											2	B1 for each
2(b)(ii)	9n + 2 oe										1	C opportunity	

© UCLES 2017 Page 3 of 4

Cambridge IGCSE – Mark Scheme **PUBLISHED**

Question	Answer	Mark	Part Marks
2(b)(iii)	$9 \times 150 + 2$ [= 1352] oe	1	or $n = \frac{1352 - 2}{9} [=150]$ oe
3(a)	17, 26, 35, 44	2	B1 for any three correct
3(b)	9n + 8 oe	1	C opportunity FT <i>their</i> answer to 3(a)
3(c)	9998	2	FT <i>their</i> (9 <i>n</i> + 8) B1 for 1110[] C opportunity
4(a)	k+9, k+18, k+27, k+36	1	
4(b)	9n + k oe	1	SC1 for $9n + k - 9$ oe from an answer of k , $k + 9$, $k + 18$, $k + 27$ in (a)
Communica	tion: Seen in two of the following questions	1	
1(e)(iii)	for their $(9 \times 87 + 3)$ seen		
2(b)(ii)	for two differences of 9 seen or for saying e.g. the sequence is one less than the previous sequence		
3(b)	for three correct differences FT seen		
3(c)	for their $(9n + 8) * 10000$, where * is = or any inequality sign or for 2 trials close to 10000 and number stems calculated or substitution for n then stem checked and checked for closest		