

Cambridge International Examinations Cambridge International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER		CANDIDATE NUMBER
	CAMBRIDGE INTE	RNATIONAL MATHEMATICS	0607/32
	Paper 3 (Core)		October/November 2018
			1 hour 45 minutes
	Candidates answer	on the Question Paper.	
α α α α α α α α α α α α α α	Additional Materials	: Geometrical Instruments Graphics Calculator	

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, glue or correction fluid.

You may use an HB pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES.

Answer all the questions.

Unless instructed otherwise, give your answers exactly or correct to three significant figures as appropriate. Answers in degrees should be given to one decimal place.

For π , use your calculator value.

You must show all the relevant working to gain full marks and you will be given marks for correct methods, including sketches, even if your answer is incorrect.

The number of marks is given in brackets [] at the end of each question or part question. The total number of marks for this paper is 96.

This document consists of 16 printed pages.



Formula List

Area, A , of triangle, base b , height h .	$A = \frac{1}{2}bh$
Area, A, of circle, radius r.	$A = \pi r^2$
Circumference, C, of circle, radius r.	$C = 2\pi r$
Curved surface area, A , of cylinder of radius r , height h .	$A=2\pi rh$
Curved surface area, A , of cone of radius r , sloping edge l .	$A = \pi r l$
Curved surface area, A , of sphere of radius r .	$A = 4\pi r^2$
Volume, <i>V</i> , of prism, cross-sectional area <i>A</i> , length <i>l</i> .	V = Al
Volume, V , of pyramid, base area A , height h .	$V = \frac{1}{3}Ah$
Volume, V , of cylinder of radius r , height h .	$V = \pi r^2 h$
Volume, V , of cone of radius r , height h .	$V = \frac{1}{3} \pi r^2 h$
Volume, V , of sphere of radius r .	$V = \frac{4}{3} \pi r^3$

Answer all the questions.

1	(a)	Her	e is a list	of number	rs.				
				8	10	14	17	20	25
		From	m this list	t, write do	wn				
		(i)	an odd r	number,					
									[1]
		(ii)	a multip	ole of 7,					
									[1]
		(iii)	a square	e number.					
				<i>a</i> 0					[1]
	(b)	Her	e are the	first four n	numbers in a	-	14	17	
		Wri	to down t	ha navt tu	8	11	14	17	
		vv 11	ie down i	ne next tw	vo terms in th	ns sequence.			
	(c)	Wri	te 3658	correct to	the nearest 1	00.			
									[1]
	(d)		te 68.437						
		(1)	correct	to 2 decim	al places,				[1]
		(ii)	correct 1	to 3 signifi	icant figures.				[1]
		(11)		io o orginin	iouni inguios.				[1]
	(e)		s = 2m	+3n					
		Fine	d the valu	e of <i>s</i> whe	$m = 4.8 ext{ an}$	nd $n = 1.6$.			
	()							<i>s</i> =	[2]
	(f)	Cha	nge 2.3 k	liometres	into metres.				
									m [1]

2 A school shop sells the following.

	Cost (cents)
Pencil	12
Sharpener	25
Eraser	10
Ruler	30

(a) Gigue buys 3 pencils and 1 sharpener.

Work out how much he spends.

..... cents [2]

(b) The cost of a ruler is increased by 20%.

Work out the new cost of a ruler.

..... cents [2]

(c) In a sale, the cost of a sharpener is reduced to 19 cents.

Work out the percentage reduction.

.....%[2]

3 Some students were asked to choose their favourite colour of candy.

All their choices are shown in the table.

Favourite colour	Red	Blue	Yellow	Green	Orange
Number of students	6	5	2	2	3

(a) Find the number of students that were asked.

.....[1]

(b) One of these students is chosen at random.

Find the probability that their favourite colour of candy is blue.



(c) Complete the bar chart.



Favourite colour

[2]

- 4 There are 36 cars altogether in a car park. There are 11 black cars, 10 red cars and the rest of the cars are blue.
 - (a) Work out the number of blue cars.

.....[1]

(b) Write down the fraction of cars in the car park that are black.

.....[1]

(c) The information is to be shown in a pie chart.

Work out the sector angle for red cars.

.....[2]

5 (a)

VRIEND

From the letters above, write down **all** the letters that have

(i) line symmetry,[2] rotational symmetry, (ii)[2] (iii) both line symmetry and rotational symmetry,[1] (iv) neither line symmetry nor rotational symmetry.[1] (b) On a poster, the letter \mathbf{I} is a rectangle of width 2 cm and height 11 cm. Work out the perimeter of the letter **I**. (i) cm [1] (ii) Work out the area of the letter **I**.

..... cm² [1]

6 A bag contains 15 marshmallows. 8 of these are white and 7 are pink.

Terry picks a marshmallow at random from the bag and eats it. He then picks a second marshmallow at random from the bag and eats it.

(a) Complete the probability tree diagram.



(b) Find the probability that both marshmallows were white.

[3]

.....[2]



9

7



The diagram shows a rectangle joined to a semicircle. There is a path along the perimeter of this shape.

(a) Show that the length of the path is 757 m, correct to the nearest metre.

		[3]
(b)	Maggie runs around the path at a speed of 220 metres per minute.	
	Work out how long it takes Maggie to run around the path. Give your answer in minutes.	
		min [1]
(c)	Jack takes 10 minutes to walk around the path.	
	Work out his average speed in km/h.	
(d)	Work out the total area enclosed by the path.	
		m ² [3]
(e)	The area inside the path is covered with grass. Grass cost \$0.29 for one square metre.	
	Work out the total cost for the grass.	

\$.....[1]

The diagram shows a 1 cm^2 grid. 9



0607/32/O/N/18





13

The diagram shows a pentagon.

Find the value of *x*.

x =[3]

11 The Venn diagram shows the number of students in a class wearing a T-shirt, *T*, or a cardigan, *C*.



	(a)	There are 20 students in total in the class.		
		Complete the Venn diagram.	[1]	
	(b)	Find the probability that one of these students, chosen at random, wears		
		(i) both a T-shirt and a cardigan,		
			[1]	
		(ii) a T-shirt but not a cardigan.		
			[1]	
	(c)	Find $n(T)$.		
	(0)		[1]	
	(4)		[1]	
	(d)	On the Venn diagram, shade $C \cap T'$.	[1]	
12	(a)	T = 5R - S		
		Find the value of <i>T</i> when $R = 3$ and $S = 4$.		
		T =	[2]	
	(b)	Simplify fully.		
		(i) $3a - 6b + 2a - b$		
		10r	[2]	
		(ii) $\frac{10x}{5x}$		
			[1]	

15



x =

Question 13 is printed on the next page.



(b) Use your calculator to find the co-ordinates of the local maximum.

		()[2]
(c)	Write down the equation of the line of symmetry.	
		[1]

13

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.