Please check the examination det	ails below	before ente		ate information
Candidate surname			Other names	
Pearson Edexcel International Advanced Level	Centre	e Number		andidate Number
Tuesday 18 J	une	20 [°]	19	
Morning (Time: 1 hour 30 minute	es)	Paper R	eference WN	A12/01
Mathematics				
International Advance Pure Mathematics P2	d Suk	osidiary	y/Advanco	ed Level
You must have: Mathematical Formulae and Sta	tistical	Tables (Lil	ac), calculator	, Total Mark

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 10 questions in this question paper. The total mark for this paper is 75.
- The marks for each question are shown in brackets

 use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over 🕨



P62721A ©2019 Pearson Education Ltd. 1/1/1/



Answer all questions. Write your answers in the spaces provided.	
1. A sequence a_1, a_2, a_3, \dots is defined by	
$a_{n+1} = 4 - a_n$	
$a_1 = 3$	
Find the value of	
(a) (i) <i>a</i> ₂	
(ii) <i>a</i> ₁₀₇	
	(2)
(b) $\sum_{n=1}^{200} (2a_n - 1)$	
$\overline{n=1}$	(2)



Q

DO NOT WRITE IN THIS AREA

Leave blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

2. A circle *C* has equation

 $x^2 + y^2 + 4x - 10y - 21 = 0$

Find

- (a) (i) the coordinates of the centre of C,
 - (ii) the exact value of the radius of C.

(3)

The point P(5, 4) lies on C.

(b) Find the equation of the tangent to C at P, writing your answer in the form y = mx + c, where m and c are constants to be found.

(4)



	-
	-
	-
	-
	-
	-
	-
(Total 7 marks)	ſ

DO NOT WRITE IN THIS AREA

blank (i) Use algebra to prove that for all real values of x3. $\left(x-4\right)^2 \geqslant 2x-9$ (3) (ii) Show that the following statement is untrue. $2^{n} + 1$ is a prime number for all values of $n, n \in \mathbb{N}$ (1) 6

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave

Question 3 continued		Leave blank
Question 5 continued		
		Q3
	(Total 4 marks)	

DO NOT WRITE IN THIS AREA

Leave blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

4. (a) Find the first four terms, in ascending powers of x, of the binomial expansion of

 $\left(2-\frac{1}{4}x\right)^6$

(b) Given that x is small, so terms in x^4 and higher powers of x may be ignored, show

$$\left(2 - \frac{1}{4}x\right)^6 + \left(2 + \frac{1}{4}x\right)^6 = a + bx^2$$

where a and b are constants to be found.

(3)

(4)

D	e	2	7	2	1	^	0	0	2	2	

Question 4 continued		Leave blank
		Q4
	(Total 7 marks)	9

DO NOT WRITE IN THIS AREA

Leave blank

5. A company makes a particular type of watch.

The annual profit made by the company from sales of these watches is modelled by the equation

 $P = 12x - x^{\frac{3}{2}} - 120$

where P is the annual profit measured in thousands of pounds and $\pm x$ is the selling price of the watch.

According to this model,

(a) find, using calculus, the maximum possible annual profit.

(6)

(2)

(b) Justify, also using calculus, that the profit you have found is a maximum.

	Q5
(Total 8 marks)	

Leave

DO NOT WRITE IN THIS AREA

	Leav
6. $f(x) = kx^3 - 15x^2 - 32x - 12$ where k is a constant	
Given $(x - 3)$ is a factor of $f(x)$,	
(a) show that $k = 9$	
	(2)
(b) Using algebra and showing each step of your working, fully factorise $f(x)$.	(4)
(c) Solve, for $0 \le \theta < 360^{\circ}$, the equation	
$9\cos^3\theta - 15\cos^2\theta - 32\cos\theta - 12 = 0$	
giving your answers to one decimal place.	
	(2)

DO NOT WRITE IN THIS AREA

	Le bl
Question 6 continued	

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

P 6 2 7 2 1 A 0 1 3 3 2

Question 6 continue	d	Leave blank
carsuon o continut		

Question 6 continued		Le bl
		Q
	(Total 8 marks)	

DO NOT WRITE IN THIS AREA

Leave blank

7. Kim starts working for a company.

- In year 1 her annual salary will be £16200
- In year 10 her annual salary is predicted to be £31500

Model A assumes that her annual salary will increase by the same amount each year.

(a) According to model A, determine Kim's annual salary in year 2.

Model *B* assumes that her annual salary will increase by the same percentage each year.

(b) According to model *B*, determine Kim's annual salary in year 2. Give your answer to the nearest $\pounds 10$

(3)

(3)

(c) Calculate, according to the two models, the difference between the total amounts that Kim is predicted to earn from year 1 to year 10 inclusive. Give your answer to the nearest $\pounds 10$

(3)



	1 Turn ov

DO NOT WRITE IN THIS AREA

18		
uestion 7 contin	ued	blank

	Q7
Fotal 9 marks)	

DO NOT WRITE IN THIS AREA

Leave blank

 $8^{2x+1} = 6$

giving your answer in the form $a + b \log_2 3$, where a and b are constants to be found. (4)

(ii) Using the laws of logarithms, solve

$$\log_5(7 - 2y) = 2\log_5(y + 1) - 1$$

(5)

	(5)
P 6 2 7 2 1 A 0 2 0 3 2	

Question 8 continued	

DO NOT WRITE IN THIS AREA

	Leave blank
Question 8 continued	
	DO NOT WRITE IN THIS AREA
	A
22	

Question 8 continued		bla
		Q8
	(Total 9 marks)	

Leave

Leave blank

9. (a) Show that the equation

 $\cos\theta - 1 = 4\sin\theta\,\tan\theta$

can be written in the form

$$5\cos^2\theta - \cos\theta - 4 = 0 \tag{4}$$

(b) Hence solve, for $0 \le x < \frac{\pi}{2}$

 $\cos 2x - 1 = 4\sin 2x \tan 2x$

giving your answers, where appropriate, to 2 decimal places.

(4)

Question 9 continued	

DO NOT WRITE IN THIS AREA

	Leave blank	
Question 9 continued		
		C
		DO NOT WRITE IN THIS AREA
		WK
		Ē
		Ĩ
		U AT
		ÊA
		Č
		O V
		2
		DO NOT WRITE IN THIS AREA
		ç
		Z
		, and a second s
		DO NOT WRITE IN THIS AREA
26		

Question 9 continued		bla
		Q9
	(Total 8 marks)	

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave



Figure 1

Figure 1 shows a sketch of part of the curve *C* with equation y = f(x) where

$$f(x) = \frac{36}{x^2} + 2x - 13 \qquad x > 0$$

Using calculus,

(a) find the range of values of x for which f(x) is increasing,

(b) show that
$$\int_{2}^{9} \left(\frac{36}{x^2} + 2x - 13 \right) dx = 0$$
 (4)

The point P(2, 0) and the point Q(6, 0) lie on C.

Given
$$\int_{2}^{6} \left(\frac{36}{x^{2}} + 2x - 13\right) dx = -8$$

(c) (i) state the value of $\int_{6}^{9} \left(\frac{36}{x^{2}} + 2x - 13\right) dx$

(ii) find the value of the constant k such that
$$\int_{2}^{6} \left(\frac{36}{x^{2}} + 2x + k\right) dx = 0$$
 (3)

(4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave blank



10.

DO NOT WRITE IN THIS AREA

Justian 10 continued	Leave blank	
Question 10 continued		
	_	DON
	_	IOT V
	_	VRIT
	_	E E
	_	DO NOT WRITE IN THIS AREA
	_	ARE/
	_	
	-	
	_	
	_	
	_	DO NOT WRITE IN THIS AREA
	_	OTW
	_	RITE
	_	IN
	_	HIS
	_	VREA
	_	
	_	
	_	
	_	
	_	ÖZ
	_	N TO
	_	/RITE
	_	TNI
	-	DO NOT WRITE IN THIS AREA
	_	AREA
	-	
	-	
		/ 💥

Question 10 continued	Le bl

DO NOT WRITE IN THIS AREA

uestion 10 continued	Leave blank
	Q10
(Total 11 marks)	
TOTAL FOR PAPER IS 75 MARKS END	