

**Cambridge International Examinations** Cambridge Ordinary Level

CANDIDATE NAME		
 CENTRE NUMBER	CANDIDATE NUMBER	
CHEMISTRY		5070/22
Paper 2 Theory	,	May/June 2018
		1 hour 30 minutes
Candidates ans	wer on the Question Paper.	
No Additional M	aterials are required.	

# **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use an HB pencil for any diagrams or graphs. Do not use staples, paper clips, glue or correction fluid. DO NOT WRITE IN ANY BARCODES.

## Section A

Answer all questions. Write your answers in the spaces provided in the Question Paper.

## Section B

Answer any three questions. Write your answers in the spaces provided in the Question Paper.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units. A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 18 printed pages and 2 blank pages.



#### **Section A**

Answer all the questions in this section in the spaces provided.

The total mark for this section is 45.

1 Choose from the gases to answer the questions.

ammonia carbon dioxide chlorine butane hydrogen nitrogen oxygen propane sulfur dioxide

Each gas can be used once, more than once or not at all.

Which gas:

(a) burns in air to give only water
[1]
(b) is used to kill bacteria in the purification of water for domestic use
[1]
(c) has a molecule containing only 11 atoms
[1]
(d) occupies 78% by volume of dry air
[1]
(e) is released when calcium hydroxide is added to soil that contains the fertiliser ammonium nitrate?
[1]
[1]
[1]
[1]
[1]

2 The transition elements occupy the central block of the Periodic Table.

Iron and copper are typical transition elements.

(a) The compounds of transition elements are often coloured.

What is the colour of iron(III) hydroxide?

.....[1]

(b) A redox reaction happens when iron filings are added to aqueous copper(II) sulfate.

 $Fe(s) + Cu^{2+}(aq) \rightarrow Cu(s) + Fe^{2+}(aq)$ 

(i) Describe what is observed during this reaction.

.....[2]

(ii) Use the equation to explain that oxidation takes place in this reaction.

.....[1]

(iii) Use the equation to explain that reduction takes place in this reaction.

.....[1]

(c) Compounds containing ions of transition elements are often used as catalysts.

Name a catalyst that is the compound of a transition element and state the reaction it catalyses.

name .....

reaction .....

.....[1]

(d) Catalysts increase the rate of reaction by providing an alternative reaction pathway with a lower activation energy.

Explain why catalysts are used in industry.

.....[1]

[Total: 7]

- 3 Silver chloride, AgCl, is an insoluble salt and silver nitrate is a soluble salt.
  - (a) Silver chloride can be prepared by the reaction between aqueous silver nitrate and dilute hydrochloric acid.
    - (i) Describe the preparation of a pure, dry sample of silver chloride from aqueous silver nitrate and dilute hydrochloric acid.

- (ii) Write the ionic equation, including state symbols, for this reaction.
  - .....[2]
- (b) Silver chloride decomposes in the presence of light to make silver and chlorine.
  - - .....[1]

(c) Silver nitrate can be prepared by reacting silver oxide with dilute nitric acid.

$$Ag_2O + 2HNO_3 \rightarrow 2AgNO_3 + H_2O$$

Excess silver oxide is reacted with 30.0 cm<sup>3</sup> of 0.150 mol/dm<sup>3</sup> nitric acid.

After purification the percentage yield of silver nitrate is 80.0%.

Calculate the mass of silver nitrate prepared.

Give your answer to three significant figures.

[*M*<sub>r</sub>: AgNO<sub>3</sub>, 170]

mass of silver nitrate ..... g [3]

[Total: 10]

- 4 Phosphorus is a non-metal in Group V of the Periodic Table.
  - (a) Phosphorus can be manufactured from calcium phosphate,  $Ca_3(PO_4)_2$ .

 $2\text{Ca}_3(\text{PO}_4)_2 \ + \ 6\text{SiO}_2 \ + \ 10\text{C} \ \longrightarrow \ 6\text{CaSiO}_3 \ + \ 10\text{CO} \ + \ \text{P}_4$ 

What is the maximum mass of phosphorus that can be made using 300 g of silicon dioxide,  $SiO_2$ ?

	mass of phosphorus g [2]
(b)	Phosphorus, $P_4$ , is a simple molecular substance.
	Suggest <b>two</b> physical properties of phosphorus.
	1
	2
	[2]
(c)	Using ideas about structure and bonding, suggest why calcium phosphate, $Ca_3(PO_4)_2$ , has a high melting point.
	[2]

(d) Complete the table about the number of electrons, neutrons and protons in two particles.

particle	<sup>30</sup> P 15	
number of electrons		18
number of neutrons		16
number of protons		15

[2]

[Total: 8]

7

- 5 Naphtha is a fraction obtained from petroleum (crude oil).
  - (a) Explain how naphtha is obtained from petroleum (crude oil).

.....[3] (b) One compound in the naphtha fraction has the formula  $C_{12}H_{26}$ . (i) From this formula, how can you deduce that this compound is an alkane? ..... .....[1] The alkane,  $C_{12}H_{26}$ , can be cracked to form an alkene that has six carbon atoms per (ii) molecule. Construct the equation for this reaction. .....[2] (c) Ethene,  $C_2H_4$ , can be made by cracking hydrocarbons. Draw a 'dot-and-cross' diagram for ethene.

You only need to show the outer shell electrons.

- (d) Chlorine reacts with both ethene and ethane.
  - (i) One molecule of ethene reacts with one molecule of chlorine.

Draw the structure of the product of this reaction. Show all of the atoms and all of the bonds.

(ii) One molecule of ethane can react with two molecules of chlorine.

What is the molecular formula of the organic product of this reaction?

.....[1]

[Total: 10]

6 The diagram shows the partial structure of a polyester.



(a) Draw the partial structure of nylon.

[1]

(b) The diagram shows the partial structure of an addition polymer.



(i) What is meant by the term *addition polymerisation*?

.....[2]

(ii) Draw the structure of the alkene that can be used to make this addition polymer.

(iii) Describe one pollution problem associated with the disposal of this addition polymer.

.....

.....[1]

[Total: 5]

[1]

# Section B

Answer three questions from this section in the spaces provided.

The total mark for this section is 30.

- 7 Sphalerite is an ore containing compounds of zinc. One of the compounds in the ore is ZnS.
  - (a) Calculate the mass of zinc in 30.0 tonnes of ZnS.

		mass of zinc tonnes [2]
(b)	ZnS	S is heated in air. Zinc oxide and sulfur dioxide are formed.
	(i)	Construct the equation for this reaction.
		[2]
	(ii)	Suggest one environmental problem involved with heating ZnS in air.
		[1]
(c)	Zin	c oxide is reacted with dilute sulfuric acid to form aqueous zinc sulfate.
	Cor	nstruct the equation for this reaction.
		[1]
(d)	Pur	e zinc is made by the electrolysis of aqueous zinc sulfate.
	Zin	c forms at the negative electrode. Hydroxide ions react at the positive electrode.
	Cor	nstruct the equations for the reactions at both electrodes.
	pos	itive electrode (anode)
	neg	pative electrode (cathode)
		[2]

(e) Zinc is used to galvanise iron to prevent the iron from rusting.

Explain how galvanising prevents iron from rusting.

[2] [Total: 10] A scientist investigates the thermal decomposition of calcium carbonate in a closed system.
 A dynamic equilibrium mixture is established.

 $CaCO_3(s) \rightleftharpoons CaO(s) + CO_2(g)$ 

(a) What is meant by the term *dynamic equilibrium*? ..... .....[2] (b) The pressure of the equilibrium mixture is decreased. The temperature of the closed system is kept constant. Predict and explain what will happen to the composition of the equilibrium mixture. ..... .....[2] (c) The temperature of the equilibrium mixture is increased. The pressure within the closed system is kept constant. The position of equilibrium shifts to the right hand side. What conclusion can be made about the enthalpy change of the reaction? .....[1]

(d)	Cal	cium carbonate reacts with dilute nitric acid to form three compounds, <b>X</b> , <b>Y</b> and <b>Z</b> .
		<ul> <li>X is a salt.</li> <li>Y is a colourless gas.</li> <li>Z is a colourless liquid.</li> </ul>
	(i)	Name <b>Y</b> and describe a test for this gas.
		name
		test
		observation
	(ii)	[2] Name <b>Z</b> and describe a chemical test for this liquid.
		name
		chemical test
		observation[2]
	(iii)	Construct the equation for the reaction between calcium carbonate and nitric acid.
		[1]
		[Total: 10]

**9** Sulfamic acid has the structure shown.



(a)	Writ	e the molecular formula for sulfamic acid.
		[1]
(b)	Sulf	amic acid is a weak acid.
	(i)	What is meant by the term acid?
		[1]
	(ii)	What is the difference between a weak acid and a strong acid?
		[2]
(c)	Wha	at mass of sulfamic acid is required to make 250 cm <sup>3</sup> of a 0.150 mol/dm <sup>3</sup> solution?

mass ..... g [3]

(d) In a titration, 0.00250 moles of NaOH is exactly neutralised by 0.150 mol/dm<sup>3</sup> sulfamic acid.
 One mole of sodium hydroxide reacts with one mole of sulfamic acid.
 Calculate the volume, in cm<sup>3</sup>, of sulfamic acid needed in this titration.

volume ..... cm<sup>3</sup> [1]

(e) One mole of aqueous sulfamic acid can produce one mole of hydrogen ions.
 Construct the equation to show the reaction between sulfamic acid and magnesium.
 [2]

[Total: 10]

10 Ester A has the structure shown.



- (a) Name ester A.
  - .....[1]
- (b) Ester A reacts with hot aqueous sodium hydroxide to give two compounds, B and C.
  - (i) Compound **B** has the percentage composition by mass:

29.3% carbon; 3.7% hydrogen; 39.0% oxygen; 28.0% sodium.

Calculate the empirical formula for this compound.

(ii) Compound **C** has a relative molecular mass of 74 and is oxidised by warm acidified potassium manganate(VII) to give butanoic acid.

Suggest a structure for **C**.

Give reasons for your answer.

.....[2]

(c)	(i)	What is meant by the term <i>isomerism</i> ?
		[1]
	(ii)	Draw an isomer of ester A.
		[1]
(d)	Exp	lain why ester <b>A</b> is a saturated compound.
		[1]
(e)	Este	er <b>A</b> can be used as a fragrance or perfume because it diffuses easily.
	(i)	Explain why the rate of diffusion of the ester decreases as the temperature decreases.
		[1]
	(ii)	Suggest <b>one</b> other use for ester <b>A</b> .
		[1]
		[Total: 10]

# **BLANK PAGE**

18

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

<u>.</u>
÷
<u> </u>
) arr
su
ŝ
or
р
an
Ð
n
<u>ra</u>
e
Ĕ
te
Ε
0
ţ
σ
Ë
рţ
5
<u>.</u>
as
ö
e volume of one mole of any gas is 24 dm $^3$ at room temperature and pressu
g
ō
<u>e</u>
Ĕ
Φ
Ы
f
ē
E
- N
ž
he
F

© UCLES 2018

								Grc	Group								
=												Ξ	N	>	VI	١١٨	NIII
							- T										<sup>2</sup> He
Key	Key	Key	Key				hydrogen 1										helium 4
4 atomic number	atomic number	atomic number	atomic number			L					<u> </u>	5	9	7	8	6	10
Be atomic symbol	atomic symbol	atomic symbol	mic symbol	loc								ш	ပ	z	0	ш	Ne
beryllium name 9 relative atomic mass	name relative atomic mass	name relative atomic mass	name ative atomic mass	ISS								boron 11	carbon 12	nitrogen 14	oxygen 16	fluorine 19	neon 20
12												13	14	15	16	17	18
Mg												Al	Si	٩	S	Cl	Ar
magnesium 24												aluminium 27	silicon 28	phosphorus 31	sulfur 32	chlorine 35.5	argon 40
22 23 24	22 23 24	23 24	24			25	26	27	28	29	30	31	32	33	34	35	36
Sc Ti V Cr	Ti <	< Cr	ŋ			Mn	Fe	ပိ	ïZ	Cu	Zn	Ga	Ge	As	Se	Br	Кr
calcium scandium titanium vanadium chromium man 40 45 48 51 52	titanium vanadium chromium 48 51 52	vanadium chromium 51 52	chromium 52		man	manganese 55	iron 56	cobalt 59	nickel 59	copper 64	zinc 65	gallium 70	germanium 73	arsenic 75	selenium 79	bromine 80	krypton 84
39 40 41 42	40 41 42	41 42	42		7	43	44	45	46	47	48	49	50	51	52	53	54
Y Zr Nb Mo	Zr Nb Mo	Nb Mo	Mo		F	Tc	Ru	ЧЧ	Ъd	Ag	рС	In	Sn	Sb	Те	Ι	Xe
strontium yttrium zirconium niobium molybdenum technetium 88 89 91 93 96 –	zirconium niobium molybdenum t 91 93 96	niobium molybdenum 1 93 96	molybdenum 96		techne -	tium	ruthenium 101	rhodium 103	palladium 106	silver 108	cadmium 112	indium 115	tin 119	antimony 122	tellurium 128	iodine 127	xenon 131
57–71 72 73 74	72 73 74	73 74	74		75		76	77	78	79	80	81	82	83	84	85	86
Hf Ta W	Hf Ta W	TaW	8		Re		Os	Ir	Ţ	Au	Рg	11	Pb	Ē	Ро	At	Rn
bariumhafniumtantalumtungstenrhenium137178181184186	tantalum tungsten 181 184	tantalum tungsten 181 184	tungsten 184		rheniu 186	ε	osmium 190	iridium 192	platinum 195	gold 197	mercury 201	thallium 204	lead 207	bismuth 209	polonium —	astatine -	radon -
89–103 104 105 106	104 105 106	105 106	106		107		108	109	110	111	112		114		116		
Ra actinoids Rf Db Sg Bh	Rf Db Sg	Db Sg	Sg		Bh		Hs	Mt	Ds	Rg	C		Fl		Ľ		
radium rutherfordium dubnium seaborgium bohrium	dubnium seaborgium –	dubnium seaborgium –	seaborgium -		bohriun –		hassium -	meitnerium -	darmstadtium -	roentgenium -	copernicium -		flerovium -		livermorium -		
-	-		_	_		-											
	58 59 60	59 60	60		61		62	63	64	65	99	67	68	69	70	71	
	Ce Pr Nd	Pr Nd	Nd		д	E	Sm	Eu	Gd	Tb	Ŋ	Ч	ц	Tm	Υb	Γn	
lanthanum cerium praseodymium neodymium promethium 139 140 141 144 –	cerium praseodymium neodymium 140 141 144	praseodymium neodymium 141 144	neodymium 144		promet -	hium	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	Iutetium 175	
90 91 92	90 91 92	91 92	92		6	93	94	95	96	97	86	66		101		103	
Th Pa U	Th Pa U	Pa U			2	dN	Pu	Am	Cm	BX	Ç	Es		Md		Ļ	
thorium protactinium uranium ne 232 231 238	thorium protactinium uranium 232 231 238	protactinium uranium 231 238	uranium 238		neptun	ium	plutonium 	americium	curium	berkelium –	califomium _	einsteinium _		mendelevium -	nobelium –	lawrencium 	
				-		1											

5070/22/M/J/18

The Periodic Table of Elements

20