

Cambridge International Examinations Cambridge Ordinary Level

	CANDIDATE NAME										
	CENTRE NUMBER		CANDIDATE NUMBER								
* 1 1 1	CHEMISTRY Paper 2 Theory		5070/21 October/November 2018								
* 1 1 1 1 2 2 8 9 1 8		wer on the Question Paper.	1 hour 30 minutes								
0 1 8		aterials are required.									

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use an HB pencil for any diagrams or graphs. Do not use staples, paper clips, glue or correction fluid. DO NOT WRITE IN ANY BARCODES.

Section A

Answer all questions. Write your answers in the spaces provided in the Question Paper.

Section B

Answer any three questions. Write your answers in the spaces provided in the Question Paper.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units. A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 18 printed pages and 2 blank pages.

Section A

Answer all the questions in this section in the spaces provided.

The total mark for this section is 45.

1 The electronic configurations of five atoms are shown.



(b) Chlorine has two naturally occurring isotopes.

One isotope of chlorine is represented by the symbol shown.

³⁷₁₇Cl (i) Deduce the number of neutrons in one atom of this isotope of chlorine. [1] (ii) Chlorine has diatomic molecules. What is the meaning of the term *diatomic*? [1] [1]

2 Zinc reacts with aqueous nickel(II) nitrate.

$$Zn(s) + Ni(NO_3)_2(aq) \rightarrow Zn(NO_3)_2(aq) + Ni(s)$$

(a) (i) By referring to the equation, explain why this is a redox reaction.

(ii) Construct the ionic equation for this reaction. [1]

(b) Draw a labelled diagram to show how a fork made of nickel is electroplated with silver.

[3]

(c) Aqueous ammonia is added, with mixing, to a solution containing zinc ions until no further change occurs.

What observations would be made during this test?

.....[2]

(d) Blocks of zinc are attached to the underside of ships made of iron to stop them from rusting.

Explain how zinc stops the ships from rusting.

The structures of these acids are shown.



(a) Name the group which is present in tartaric acid but not in succinic acid.

.....[1]

(b) Tartaric acid is reduced to succinic acid by acidified aqueous potassium iodide.

What colour change would you observe in the reaction mixture when this reaction is carried out?

from [2]

(c) Succinic acid is a weak acid.

What is the meaning of the term weak acid?

.....[1]

(d) Succinic acid is neutralised by aqueous sodium hydroxide.

 $C_2H_4(COOH)_2$ + 2NaOH $\rightarrow C_2H_4(COONa)_2$ + 2H₂O

Calculate the minimum volume of $0.0200 \text{ mol}/\text{dm}^3$ sodium hydroxide required to neutralise 25.0 cm^3 of $0.0500 \text{ mol}/\text{dm}^3$ succinic acid.

Give your answer to three significant figures.

volume cm ³ [3]

[Total: 7] [Turn over 6

- 4 The alkanes are a homologous series of saturated hydrocarbons.
 - (a) (i) Write the general formula for the alkane homologous series.
 [1]
 (ii) Each member of a particular homologous series has the same general formula.
 Give one other characteristic of a homologous series.
 [1]
 (b) What is the meaning of the term *saturated*?
 [1]
 (c) Construct the equation for the complete combustion of pentane, C₅H₁₂.
 [2]
 (d) Draw the structure of a branched alkane with the formula C H = Show all of the store and all
 - (d) Draw the structure of a branched alkane with the formula C_5H_{12} . Show all of the atoms and all of the bonds.

[1]

(e) Chlorine reacts with pentane.

$$C_5H_{12} + Cl_2 \rightarrow C_5H_{11}Cl + HCl$$

(i) What name is given to this type of chemical reaction?

.....[1]

- (ii) What essential condition is needed for chlorine to react with pentane?
 -[1]

- (f) A hydrocarbon contains 90% carbon by mass.
 - (i) Deduce the empirical formula of this hydrocarbon.

empirical formula[2]

(ii) What additional piece of information is needed to deduce the molecular formula of this hydrocarbon?

.....[1]

- 5 The Periodic Table is an arrangement of elements in groups and periods.
 - (a) Describe how the position of an element in the Periodic Table is related to its electronic configuration.

(b) Aluminium is an element in Group III of the Periodic Table.
Deduce the electronic configuration of the aluminium ion.
[1]
(c) Aluminium reacts with oxygen to form aluminium oxide, Al₂O₃.
(i) Construct the equation for this reaction.
[1]
(ii) Aluminium oxide reacts with both acids and alkalis.
Name the type of oxide which reacts with both acids and alkalis.
[1]
(d) (i) Draw a 'dot-and-cross' diagram of a molecule of oxygen.

Only draw the outer shell electrons.

[2]

(ii) Describe and explain the difference in the rate of diffusion of the gases oxygen and nitrogen.

.....[1]

(iii) Oxygen reacts with hydrogen to form water.

Sulfur reacts with hydrogen to form hydrogen sulfide.

Some properties of hydrogen sulfide are listed.

- It is a gas at room temperature.
- It reacts with aqueous sodium hydroxide.
- It is a reducing agent.
- It burns in air.

Describe four ways in which the properties of water differ from those of hydrogen sulfide.

1.	
2.	
3	
4.	[2]

Section B

Answer three questions from this section in the spaces provided.

The total mark for this section is 30.

6 Some properties of the Group V elements are shown.

element	electrical conductivity of solid	melting point /°C	boiling point /°C					
nitrogen	non-conductor	-210	-196					
phosphorus	non-conductor	44	281					
arsenic	non-conductor							
antimony	poor conductor	631	1587					
bismuth	conducts	271	1564					

- (a) Use the information in the table.
 - (i) Predict the physical state of nitrogen at -200 °C.

Explain your answer.

.....[2]

- (ii) Predict the melting point of arsenic.
 -[1]
- (b) Use the information in the table to explain how the structure and bonding in nitrogen differ from the structure and bonding in bismuth.

.....[2]

(c) Antimony, Sb, reacts with chlorine to form antimony(III) chloride.

Construct the equation for this reaction.

(i) State the percentage by volume of nitrogen in dry air.
(ii) Nitrogen oxides are atmospheric pollutants.
The concentration of nitrogen oxides in the exhausts from car engines is decreased by using a catalytic converter.
Describe the reactions that occur in a catalytic converter which help to remove nitrogen oxides from car exhausts.
[2]
(iii) State one other source of nitrogen oxides in the atmosphere.

[Total: 10]

(d) Nitrogen is present in dry air.

(a) Complete the equation for respiration. $C_6H_{12}O_6$ + \rightarrow + [2] (b) Carbon dioxide and methane are greenhouse gases which contribute to global warming. State one effect on the environment of an increase in global warming. (i)[1] (ii) Describe how the carbon cycle regulates the amount of carbon dioxide in the atmosphere.[2] (c) Simple sugars can be polymerised to form starch. HO--OH 0--0--0a simple sugar starch (i) Deduce the formula of the molecule eliminated when simple sugars polymerise to form starch.[1] (ii) State the reagent and conditions needed to hydrolyse starch into simple sugars.[2]

The products of respiration are carbon dioxide and water.

7

(d) The amino acid alanine can form polymers.

Part of the structure of poly(alanine) is shown.



- (i) On the diagram, draw a circle around all of the atoms in one amide linkage. [1]
- (ii) Draw the structure of the monomer used to make poly(alanine).

[1]

8 Chromium is a transition element.

Sodium is an element in Group I of the Periodic Table.

(a) Explain how both chromium and sodium conduct electricity.

(e) The structure of an ion containing chromium is shown.



Write the formula for this ion.

[1]

.....[1]

(f) Adding dilute acid to yellow $CrO_4^{2-}(aq)$ forms orange $Cr_2O_7^{2-}(aq)$.

The ionic equation for this reaction is shown.

 $2CrO_4^{2-}(aq) + 2H^+(aq) \rightleftharpoons Cr_2O_7^{2-}(aq) + H_2O(I)$ yellow orange

(i) Describe and explain what you would observe when a few drops of concentrated aqueous sodium hydroxide are added to the orange solution.

.....[2]

(ii) Suggest why a change in pressure has no effect on the reaction shown.

.....[1]

9 Cerium is a metal with a relative atomic mass of 140.

Cerium powder reacts with sulfuric acid.

 $2Ce(s) + 3H_2SO_4(aq) \rightarrow Ce_2(SO_4)_3(aq) + 3H_2(g)$

(a) Describe and explain, using ideas about collisions between particles, how the rate of this reaction changes when the concentration of sulfuric acid is decreased.

All other conditions stay the same.

.....[2]

(b) Describe and explain how the rate of this reaction changes when large pieces of cerium are used instead of cerium powder.

All other conditions stay the same.

.....[1]

(c) The reaction of cerium with sulfuric acid is exothermic.

Complete the energy profile diagram to show the enthalpy change for this reaction.



[2]

(d) Calculate the maximum volume of hydrogen, in dm³, formed when 12.6g of cerium reacts with excess sulfuric acid at room temperature and pressure.

[*A*_r: Ce, 140]

volume dm³ [3]

(e) The formula of cerium carbonate is $Ce_2(CO_3)_3$.

Calculate the percentage by mass of cerium in cerium carbonate.

...... % [2]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

<u> </u>
ġ
r.t
Ire
ssu
le
р
an
Ire
atı
Jer
Ĩ
ן te
oom terr
ţ
а
is 24 dm ³
24
<u>.</u>
volume of one mole of any gas is 24 dm 3 at room temperature and pressure (r.
any (
of a
<u>le</u>
Ĕ
one mole
of c
je
luπ
VO
he
F

	III>	He 2	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	Ъ	krypton 84	54	Xe	xenon 131	86	Rn	radon -									
	١١٨			ი	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ъ	bromine 80	53	Ι	iodine 127	85	At	astatine -				71	Lu	Iutetium 175	103	Ļ	lawrencium -
	N			œ	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Ро	polonium —	116	۲۷	livermorium -	70	Υb				nobelium -
	>	•		7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Bi	bismuth 209				69	Tm	thulium 169	101	Md	mendelevium -
	≥			9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	11	flerovium -	68	ц	erbium 167			
	≡			5	ш	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204				67	Ю				einsteinium -
										30	Zn	zinc 65	48	Cd	cadmium 112	80	Hg				0	99	Dy	dysprosium 163	98	Ç	califomium –
	·									29	Cu	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -	65	Tb	terbium 159	97	Bk	berkelium –
Group										28	ïZ	nickel 59	46	Ъd	palladium 106	78	Ъ	platinum 195	110	Ds	darmstadtium –	64	Gd	gadolinium 157	96	Cm	curium I
Ð										27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium -	63	Еu	europium 152	95	Am	americium -
		- ⊥	hydrogen 1							26	Бe	iron 56	44	Ru	ruthenium 101	76	os	osmium 190	108	Hs	hassium –	62	Sm	samarium 150	94	Pu	plutonium -
							7			25	Mn	manganese 55	43	Ч	technetium -	75	Re	rhenium 186	107		bohrium –	61	Pm	promethium -	93	dN	neptunium -
				_	lod	ass				24	ں ک	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -	60	Νd	neodymium 144	92		uranium 238
			Key	atomic number	atomic symbol	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Та	tantalum 181	105		dubnium –	59	Pr	praseodymium 141	91	Ра	protactinium 231
					ato	Le				22	Ξ	titanium 48	40	Zr	zirconium 91	72	Η	hafnium 178	104	Rf	rutherfordium -	58	С С	cerium 140	06	Ч	thorium 232
										21	Sc	scandium 45	39	≻	yttrium 89	57-71	lanthanoids		89-103	actinoids		57	La	lanthanum 139	89	Ac	actinium -
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ي ا	strontium 88	56	Ba	barium 137	88	Ra	radium –		sids			S	
	_			m	:	lithium 7	£	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ľ	francium -		lanthanoids			actinoids	

The Periodic Table of Elements

5070/21/O/N/18